

L Number	Hits	Search Text	DB	Time stamp
2	137	(bernd with vosseler) or (bernard with beier) or (uwe with ernst)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:25
4	13	((bernd with vosseler) or (bernard with beier) or (uwe with ernst)) and (laser with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:36
5	10	((bernd with vosseler) or (bernard with beier) or (uwe with ernst)) and ((laser same (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) same (distance or interval or space or spacing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:37
6	13	((bernd with vosseler) or (bernard with beier) or (uwe with ernst)) and ((laser same (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:36
7	0	((bernd with vosseler) or (bernard with beier) or (uwe with ernst)) and ((laser same (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)))) not(((bernd with vosseler) or (bernard with beier) or (uwe with ernst)) and (laser with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:36
8	24180	((laser same (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) same (distance or interval or space or spacing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 10:02
9	14303	(laser with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) same (distance or interval or space or spacing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:37
10	8064	(laser with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) with (distance or interval or space or spacing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:37
11	4848	(laser with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) with (distance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:38
12	2	(laser with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) with (distance) with laser with (printing with surface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:39
13	913	(laser with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) with (distance) with laser with (surface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:39

14	8	(laser with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) with (distance) with laser with image with surface with photosensitive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:42
15	14	(laser with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) with (distance) with surface with photosensitive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:42
16	6	((laser with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) with (distance) with surface with photosensitive) not(((laser with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) with (distance) with laser with image with surface with photosensitive))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:42
17	183	((laser with power) with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) same ((distance or interval or space or spacing) with surface) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:45
18	5	((laser with power) with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) same ((distance or interval or space or spacing) with ((printing or photosensitive) with surface)) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:48
19	8	((laser with power) with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) same ((distance or interval or space or spacing) with ((printing or photosensitive or drum) with surface)) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:48
20	3	((laser with power) with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) same ((distance or interval or space or spacing) with ((printing or photosensitive or drum) with surface)) ) not((((laser with power) with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) same ((distance or interval or space or spacing) with ((printing or photosensitive) with surface)) )))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:50
21	4	(laser with source) and (laser with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) and (laser with power) and ((printing or photosensitive or drum) with surface) and ((distance or interval or space or spacing) with laser with surface) and (distance with meter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 09:59
23	3731	((laser same (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) same (distance or interval or space or spacing) same (vary or varying or function))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 10:02

24	1608	((laser same (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) same ((distance or interval or space or spacing) with (vary or varying or function)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 10:02
25	975	((laser with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) same ((distance or interval or space or spacing) with (vary or varying or function)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 10:03
26	45	((laser with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) same ((distance or interval or space or spacing) with (vary or varying or function)))) and 347/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 10:03
27	605	((laser with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) same ((distance) with (vary or varying or function)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 10:03
28	19	((laser with (control or controller or controlling or adjust or adjusting or adjustment or correct or correcting or correction)) same ((distance) with (vary or, varying or function)))) and 347/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 10:14